



MINI INCAS

MINIMAL



FRAME



Proiettore da incasso, per installazioni trimless o con battuta, dotato di monocolo telescopico estraibile e orientabile, per sorgente LED GU10 230V / 240V, con corpo e monocolo telescopico in metallo verniciato.

La versione trimless necessita obbligatoriamente di controtelaio per installazione su controsoffitti in cartongesso da 13mm. Installabile anche in pareti e soffitti in calcestruzzo mediante apposita cassaforma in lamiera zincata disponibile come accessorio. Grado di protezione IP20 / IP23

Recessed projector, for trimless or trimmed installations, equipped with removable and adjustable telescopic monocol, for GU10 LED source 230V / 240V, with body and telescopic monocol in painted metal.

The trimless version necessarily requires counterframe for installation on 13mm plasterboard false ceilings. Extruded aluminum formwork for concrete recessed installation available as an accessory. IP20 / IP23.



UK CONFORMITY ASSESSMENT E EUROPEAN CERTIFICATION / UK CONFORMITY ASSESSMENT AND EUROPEAN CERTIFICATION



PRODOTTI COSTRUITI CON MATERIALE RICICLABILE / PRODUCTS MADE OF RECYCLABLE MATERIAL



GARANZIA DI 5 ANNI / 5-YEAR WARRANTY



ORIENTABILE / ADJUSTABLE



IDONEI PER CARTONGESSO OR LATERIZIO / CALCESTRUZZO a seconda dei modelli e degli accessori. SUITABLE FOR PLASTERBOARD OR BRICKWALL / CONCRETE it depends on the model and its accessories.



GU10

SORGENTE LED GU10 / GU10 LIGHT SOURCE

FINITURE STANDARD / STANDARD FINISHINGS

- / 01  BIANCO / WHITE
- / 02  NERO / BLACK

FINITURE PREMIUM / PREMIUM FINISHINGS

- / 81  ORO ROSA | ROSE GOLD
- / 82  BRONZO ANTICATO / ANTIQUE BRONZE
- / 83  OTTONE BRUNITO SPAZZOLATO | BRUSHED BURNISHED BRASS

MONOCOLO TELESCOPICO ESTRAIBILE E ORIENTABILE

REMOVABLE AND ADJUSTABLE TELESCOPIC MONOCLE



